



Rockwell International  
Energy Systems Group

# SUPPORTING DOCUMENT

GO NO.	S/A NO.	PAGE 1 OF	TOTAL PAGES	REV LTR/CHG NO SEE SUMMARY OF CHG	NUMBER
07704	44650	9	9	NC	N704TI990033
PROGRAM TITLE					
Decontamination and Disposition of Facilities					
DOCUMENT TITLE					
Radiological Survey Results - Release to Unrestricted Use, SRE Region VII					
DOCUMENT TYPE			KEY NOUNS		
Technical Information			Decontamination		
ORIGINAL ISSUE DATE	REL. DATE	APPROVALS		DATE	
	5-13-83 RK	R. J. Tuttle <i>R. J. Tuttle</i>		1/27/83	
PREPARED BY/DATE	DEPT	MAIL ADDR	B. F. Ureda <i>B. F. Ureda</i>		
<i>J. H. Wallace</i> J. H. Wallace	779	T034	4/22/83		
IR&D PROGRAM? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>			C. C. Conners <i>C. C. Conners</i>		
IF YES, ENTER TPA NO.			4/25/83		
DISTRIBUTION			J. M. Marzec		
*	NAME	MAIL ADDR	W. R. McCurnin <i>W. R. McCurnin</i>		
*	C. C. Conners	NB02	5/13/83		
*	J. M. Harris	T055	M. E. Remley <i>M. E. Remley</i>		
*	J. M. Marzec	T143	9 May 83		
*	W. R. McCurnin	T020			
*	M. E. Remley	NB13			
*	R. J. Tuttle	NB13			
*	B. F. Ureda	NB02			
*	J. H. Wallace	T034			
ABSTRACT					
			The results of the radiological survey for Region VII of the SRE facility are described. All survey results are below the applicable limits, indicating that this area may be released for unrestricted use.		
RESERVED FOR PROPRIETARY/LEGAL NOTICES					
			THIS REPORT MAY NOT BE PUBLISHED WITHOUT THE APPROVAL OF THE DOE OFFICE OF PATENT COUNSEL		
			This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.		
0056Y/reg					
* COMPLETE DOCUMENT					
NO ASTERISK, TITLE PAGE/SUMMARY OF CHANGE PAGE ONLY					



## CONTENTS

	Page
1.0 Introduction.....	3
2.0 Surveys and Results.....	7
3.0 Conclusions.....	9

## TABLES

1. Contamination/Radiation Limits.....	5
2. Survey Measurement Requirements.....	6

## FIGURES

1. SRE Facility.....	4
2. Log-normal distribution of gross detectable beta activity in sediment after cleanup of SRE pond.....	8



## 1.0 INTRODUCTION

This document covers Region VII of the SRE facility (Figure 1). The area contains the retention pond, the old leach field, the sanitary sewer pumping system, and the SRE drainage back to the fence line. It includes the retention pond overflow channel downstream for a distance of about 200 feet.




FIGURE 1  
SRE FACILITY



The contamination/radiation limits for unrestricted use that were applied in decontaminating this area are shown in Table 1 and the requirements for survey measurements in each region are shown in Table 2.

TABLE 1  
RESIDUAL RADIOACTIVITY LIMITS  
FOR RELEASE FOR UNRESTRICTED USE

	Total	Removal
<u>Surfaces</u>		
Alpha	100 dpm/100 cm <sup>2</sup>	20 dpm/100 cm <sup>2</sup>
Beta	0.1 mrad/hr at 1 cm through 7 mg/cm <sup>2</sup> absorber	100 dpm/100 cm <sup>2</sup>
<u>Soil</u>	100 pCi/g gross detectable beta	
<u>Water</u>	3 x 10 <sup>7</sup> $\mu$ Ci/ml gross detectable beta	



TABLE 2  
SURVEY MEASUREMENT REQUIREMENTS

Region	Removal Contamination	Surface Radiation	Soil Samples	Concrete Samples	Water Samples
I	X	X	X	X	X
II	X	X	X		
III		X			
IV	X	X	X		
V		X	X	X	
VI		X	X		
VII		X	X		X
VIII		X			
IX	X	X	X		
X	X	X	X		
041	X	X			
063	X	X			
143 Offices	X	X			
143 High Bay	X	X	X	X	X

Measurements of removable contamination are omitted from those areas that consist solely of soil or asphalt-paved surfaces



## 2.0 SURVEYS AND RESULTS

The pond was drained in 1979 and allowed to dry out. All areas of the pond bottom that read more than about 100 cpm above background with a pancake G-M probe, or that exceeded 100 pCi/g gross detectable beta activity, were removed and disposed of as radioactive waste. After this decontamination, soil samples were taken and the pond was returned to service.

The results of the pond soil sample analyses are shown in Figure 2, plotted as a log-normal distribution. This distribution is essentially that of natural soil, with a slight amount of residual contamination. No values are above the limit of 100 pCi/g. The mean is 29 pCi/g. The 90% point (indicated by the vertical line) at 1.28 standard deviation above the mean is below the limit, at about 50 pCi/g.

Surveys were performed as specified in N704TP990008, "Radiological Survey Plan, Support of D/D Program Operations at T143, SRE," R. K. Owens. Copies of the survey results and data sheets are retained by Radiation and Nuclear Safety.




Figure 2. Log-normal distribution of gross detectable beta activity in sediment after cleanup of SRE pond.





### 3.0 CONCLUSIONS

In each type of test performed, all samples indicated levels less than those limits prescribed by the Decontamination and Disposition of Facilities Program for release for unrestricted use.

All appropriate surveys indicate that current existing radioactivity in the area is below the applicable limits for release for unrestricted use.